




HIV AMONG INJECTION DRUG USERS IN MARYLAND, 2014


AUGUST 2016

New HIV Diagnoses

- Of the **1,230** reported adult/adolescent HIV diagnoses (age 13+) in Maryland in 2014, **3.6%** of those with a reported exposure were among **Injection Drug Users (IDU)** and **0.9%** were among **Men who have Sex with Men and Inject Drugs (MSM/IDU)**.
- The proportion of HIV diagnoses in Maryland that was reported among **IDU** has steadily declined over the past two decades, from **53.3%** in **1992** to **3.6%** in **2014**.




Living HIV Cases by Exposure Category



Characteristics of IDU Living with HIV in Maryland

Current Age Groups

- 48.0%** 50's
- 20.4% 60+
- 24.7% 40's
- 6.1% 30's
- 0.7% 20's



Race/Ethnicity

- 82.4% NH Black**
- 10.6% NH White
- 4.9% NH Other
- 2.1% Hispanic

NH: Non-Hispanic

- Of the **23,360** total living HIV cases (diagnosed age 13+) with a reported exposure as of 12/31/2014 in Maryland, **25.5%** were **IDU** and **3.4%** were **MSM/IDU**.
- Among **IDU**, **61.8%** of living HIV cases were **male**.

- Of the total living **male** HIV cases (diagnosed age 13+) in Maryland with a reported exposure, **24.0%** were **IDU** and **5.0%** were **MSM/IDU**. **28.6%** of the total living **female** HIV cases (age 13+) were among **IDU**.
- Total living adult/adolescent HIV diagnoses reported in Maryland among **IDU** in 2014 were **highest** among individuals diagnosed **in their 40's (39.4%)** and among **non-Hispanic (NH) blacks (82.4%)**.
- Of the **5,966** total living HIV cases among IDU in Maryland, half (**50.4%**) had a **viral load test** result reported in 2014. Of those **3,004** with a reported result, **70.4%** had a **suppressed viral load**.

MSM: Men who have Sex with Men | **HET:** Heterosexual Exposure | **IDU:** Injection Drug User